

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

### Cagewash 2

Revision 1  
Revision date 13/10/22

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Cagewash 2
Product code	SYC-CW2-5L, SYC-CW2-10L, SYC-CW2-20L, SYC-CW2-200L

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Detergent.
-------------	------------

##### 1.3. Details of the supplier of the safety data sheet

Company Address	Sychem Ltd Mayflower Close, Chandler's Ford Eastleigh SOUTHAMPTON, SO53 4AR UNITED KINGDOM
Web	www.sychem.co.uk
Telephone	0845 644 6824
Email	sales@sychem.co.uk

##### 1.4. Emergency telephone number


Emergency telephone number	44 (0) 845 644 6824 8.30 am - 5.00 pm Mon - Thurs, 8.30am – 4.30pm Fri UK time)
----------------------------	--

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;
---	---------------------

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.

# Cagewash 2

Revision 1

Revision date 13/10/22

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

<b>Other hazards</b>	This substance is not identified as a PBT substance.
----------------------	--

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Potassium polyphosphate aqueous solution						Eye Irrit. 2: H319;
1, 2 Dihydroxypropane (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0			
Acrylic acid	607-061-00-8	79-10-7	201-177-9			Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Acute 1: H400;
Subtilisin (Subtilisins (Bacillus subtilis Carlsberg))	647-012-00-8	9014-01-1	232-752-2			STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; Resp. Sens. 1: H334;

#### Further information

	An Aqueous blend of polyphosphates, soil suspending agents.
--	---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention if irritation or symptoms persist.
<b>Eye contact</b>	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Wash with water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.
<b>Eye contact</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	After contact with skin, wash immediately with plenty of water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

# Cagewash 2

Revision 1

Revision date 13/10/22

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
Ingestion	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Material is not flammable and not considered a fire hazard.
--	---

### 5.3. Advice for firefighters

	Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Wear suitable protective clothing, gloves and eye/face protection.
--	--

### 6.2. Environmental precautions

	Accidental release measures. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. local and national regulations.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sand. Solid. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. Do not empty into drains; dispose of this material and its container in a safe way.
--	--

### 6.4. Reference to other sections

	See section 2,3,8,13 for further information.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Do not empty into drains. Do not empty into drains; dispose of this material and its container in a safe way. Wear suitable protective clothing, gloves and eye/face protection.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

Suitable packaging	Keep in a cool, dry, well ventilated area. Keep only in the original container. Store at temperatures between 5 °C and 25 °C. Store in original container.
	Keep container tightly closed and dry. Keep only in the original container in a cool, well-ventilated place. Store in original container.

### 7.3. Specific end use(s)

	Detergent.
--	------------

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Cagewash 2

Revision 1  
Revision date 13/10/22

## 8.1. Control parameters

See section 8.2 for further information.

### 8.1.1. Exposure Limit Values

1, 2 Dihydroxypropane (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: -  WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 10  WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
1, 2 Dihydroxypropane (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150  WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 474  WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Subtilisin (Subtilisins (Bacillus subtilis Carlsberg))	WEL 8-hr limit ppm: -  WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 0.00004  WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

## 8.2. Exposure controls



8.2.1. Appropriate engineering controls	Control parameters. Engineering measures. Ensure adequate ventilation of the working area. Store at temperatures above 5 °C. Store at temperatures below 25 °C.
8.2.2. Individual protection measures	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Remove contaminated clothing. Wash all contaminated clothing before reuse. Wear protective clothing. Wear suitable gloves and eye/face protection.
Eye / face protection	Avoid contact with eyes. Eye wash bottle with water. Provide eye wash station. Wear eye/face protection.
Skin protection - Handprotection	Wear suitable gloves.
Skin protection - Other	After contact with skin, wash immediately with plenty of water. Wear suitable gloves.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# Cagewash 2

Revision 1  
Revision date 13/10/22

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Slight
Odour threshold	Not required
pH	7 - 8.5
Initial boiling point	100
Flash point	150
Evaporation rate	Not determined
Vapour pressure	Not required
Vapour density	Not required
Viscosity	Not determined
Solubility	Soluble in water

## 9.2. Other information

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.18 - 1.22
Gas group	Not required

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	Stable under recommended transport or storage conditions.
--	---

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3. Possibility of hazardous reactions

	Do not mix with other detergents materials. Do not mix with bleach , acids , or strong oxidising agents.
--	--

### 10.4. Conditions to avoid

	Keep away from heat. Keep only in the original container at a temperature not exceeding 25 °C.
--	--

### 10.5. Incompatible materials

	Acids. Bases. Oxidising agents. Strong acids. Keep away from bleach , or other detergents materials.
--	--

## SECTION 11: Toxicological information

### 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

	No data available
--	-------------------

## SECTION 13: Disposal considerations

### Disposal methods

	Do not empty into drains; dispose of this material and its container in a safe way. Local and national regulations. This material and its container must be disposed of in a safe way.
--	--

### Disposal of packaging

	Local and national regulations. Clean the empty containers first with plenty of water. Containers can be recycled if in compliance with local and national regulations.
--	---

# Cagewash 2

Revision 1

Revision date 13/10/22

## SECTION 14: Transport information

### 14.1. UN number

The product is not classified as dangerous for carriage.

### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

### 14.4. Packing group

The product is not classified as dangerous for carriage.

### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

## SECTION 16: Other information

### Other information

#### Revision

This document differs from the previous version in the following areas:  
12 - 12.1. Toxicity.

#### Text of Hazard Statements in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.  
Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Acute Tox. 4: H302 - Harmful if swallowed.  
Acute Tox. 4: H312 - Harmful in contact with skin.  
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.  
Acute Tox. 4: H332 - Harmful if inhaled.  
STOT SE 3: H335 - May cause respiratory irritation.  
Aquatic Acute 1: H400 - Very toxic to aquatic life.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

## Cagewash 2

Revision 1

Revision date 13/10/22

---

**Further information**

---

	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--

---